

BLINDNIETE



FLACHRUNDKOPF MIT GERILLEM NIETDORN (~ DIN EN ISO 15983)

BLIND RIVETS

DOMED HEAD WITH GROOVED MANDREL (~ DIN EN ISO 15983)

RIVETS AVEUGLES

TÊTE PLATE AVEC CLOU CANNÉLÉ (~ DIN EN ISO 15983)



Edelstahl A2 [1.4301]
Stainless steel A2 [AISI 304]
Acier inox A2 [1.4301]

Edelstahl A2 [1.4301]
Stainless steel A2 [AISI 304]
Acier inox A2 [1.4301]

Ø 4,8 mm

D1 = 4,8 + 0,08 / - 0,15 mm
D2 = 9,5 + 0 / - 1,0 mm
k = 1,1 +/- 0,3 mm
d = 2,9 mm
P ≥ 27,0 mm
L = + 1,0 / - 0,2 mm
 4,9 mm

	F-Max		CODE				
4,8 x 8,0 mm	13,4 mm	1,5 - 4,0 mm	70301 48800	4500 N	6000 N	500	5000
4,8 x 10,0 mm	15,4 mm	4,0 - 6,0 mm	70301 48101			500	5000
4,8 x 10,5 mm	15,9 mm	4,5 - 6,5 mm	70301 48100			500	5000
4,8 x 11,0 mm	16,4 mm	5,0 - 7,0 mm	70301 48110			500	5000
4,8 x 12,0 mm	17,4 mm	6,0 - 8,0 mm	70301 48120			500	5000
4,8 x 13,5 mm	18,9 mm	7,5 - 9,0 mm	70301 48135			500	5000
4,8 x 14,0 mm	19,4 mm	8,0 - 9,5 mm	70301 48140			500	5000
4,8 x 16,0 mm	21,4 mm	9,5 - 11,0 mm	70301 48160			500	5000
4,8 x 16,5 mm	21,9 mm	10,0 - 11,5 mm	70301 48165			500	5000
4,8 x 18,0 mm	23,4 mm	11,0 - 13,0 mm	70301 48180			500	5000
4,8 x 20,0 mm	25,4 mm	11,0 - 15,0 mm	70301 48200			500	5000
4,8 x 22,0 mm	27,4 mm	15,0 - 17,0 mm	70301 48220			500	5000
4,8 x 25,0 mm	30,4 mm	17,0 - 20,0 mm	70301 48250			250	2500
4,8 x 27,0 mm	32,4 mm	18,0 - 22,0 mm	70301 48270			250	2500
4,8 x 30,0 mm	35,4 mm	21,0 - 25,0 mm	70301 48300			250	2500

Ø 5,0 mm

D1 = 5,0 + 0,08 / - 0,15 mm
D2 = 9,5 + 0 / - 1,0 mm
k = 1,1 +/- 0,3 mm
d = 2,9 mm
P ≥ 27,0 mm
L = + 1,0 / - 0,2 mm
 5,1 mm

	F-Max		CODE				
5,0 x 8,0 mm	13,4 mm	2,0 - 4,0 mm	70301 50800	5000 N	6500 N	500	5000
5,0 x 10,0 mm	15,4 mm	4,0 - 6,0 mm	70301 50100			500	5000
5,0 x 12,0 mm	17,4 mm	6,0 - 8,0 mm	70301 50120			500	5000
5,0 x 14,0 mm	19,4 mm	8,0 - 10,0 mm	70301 50140			500	5000
5,0 x 16,0 mm	21,4 mm	10,0 - 12,0 mm	70301 50160			500	5000
5,0 x 18,0 mm	23,4 mm	12,0 - 14,0 mm	70301 50180			500	5000
5,0 x 20,0 mm	25,4 mm	14,0 - 16,0 mm	70301 50200			500	5000
5,0 x 25,0 mm	30,4 mm	16,0 - 21,0 mm	70301 50250			250	2500
5,0 x 30,0 mm	35,4 mm	21,0 - 25,0 mm	70301 50300			250	2500
5,0 x 35,0 mm	40,4 mm	25,0 - 30,0 mm	70301 50350			250	2500
5,0 x 40,0 mm	45,4 mm	30,0 - 34,0 mm	70301 50400			250	2500