

BLINDNIETE


SENKKOPF 120° (~ DIN EN ISO 15978)

BLIND RIVETS

COUNTERSUNK HEAD 120° (~ DIN EN ISO 15978)


RIVETS AVEUGLES

AVEUGLES TÊTE FRAISÉE 120° (~ DIN EN ISO 15978)











Aluminium AIMG 2,5
Aluminium AIMG 2,5
Aluminium AIMG 2,5

Stahl verzinkt
Steel zinc plated
Acier zingué











Ø 2,4 mm

D1 = 2,4 + 0,08 / - 0,1 mm
D2 = 5,0 + 0 / - 0,4 mm
k = -
d = 1,4 mm
P ≥ 27,0 mm
L = + 1,0 / - 0,2 mm
 2,5 mm


	F-Max						
2,4 x 6,0 mm	10,4 mm	1,5 - 4,0 mm	70711 24600	315 N	355 N	1000	10000
2,4 x 8,0 mm	12,4 mm	4,0 - 6,0 mm	70711 24800			1000	10000
2,4 x 10,0 mm	14,4 mm	6,0 - 8,0 mm	70711 24100			1000	10000








Ø 3,0 mm

D1 = 3,0 + 0,08 / - 0,1 mm
D2 = 6,0 + 0 / - 0,4 mm
k = -
d = 1,75 mm
P ≥ 27,0 mm
L = + 1,0 / - 0,2 mm
 3,1 mm

	F-Max						
3,0 x 6,0 mm	10,4 mm	1,5 - 3,5 mm	70711 30600	600 N	700 N	1000	10000
3,0 x 8,0 mm	12,4 mm	3,5 - 5,5 mm	70711 30800			1000	10000
3,0 x 10,0 mm	14,4 mm	5,5 - 7,0 mm	70711 30100			1000	10000
3,0 x 12,0 mm	16,4 mm	7,0 - 9,0 mm	70711 30120			1000	10000
3,0 x 14,0 mm	18,4 mm	9,0 - 12,0 mm	70711 30140			1000	10000

Ø 3,2 mm

D1 = 3,2 + 0,08 / - 0,1 mm
D2 = 6,0 + 0 / - 0,4 mm
k = -
d = 1,95 mm
P ≥ 27,0 mm
L = + 1,0 / - 0,2 mm
 3,3 mm

	F-Max						
3,2 x 6,0 mm	10,9 mm	1,5 - 3,5 mm	70711 32600	720 N	800 N	1000	10000
3,2 x 8,0 mm	12,9 mm	3,5 - 5,0 mm	70711 32800			1000	10000
3,2 x 10,0 mm	14,9 mm	5,0 - 7,0 mm	70711 32100			1000	10000
3,2 x 12,0 mm	16,9 mm	7,0 - 9,0 mm	70711 32120			1000	10000
3,2 x 14,0 mm	18,9 mm	9,0 - 10,5 mm	70711 32140			1000	10000
3,2 x 16,0 mm	20,9 mm	10,5 - 13,0 mm	70711 32160			1000	10000